



VERSA HEAT

HRG24 SERIES 24" GAS RANGES

HRG24-12CH-2B



HRG24-4B HRG24-24GM | HRG24-12CH-2B HRG24-24CH | HRG24-12GM-2B

24" RANGE W/ 2 OR 4 BURNERS,
12" OR 24" CHARBOILER AND/OR
12" OR 24" MANUAL GRIDDLE
AVAILABLE IN NATURAL GAS OR PROPANE


- Sturdy construction for demanding commercial cooking applications
- User-friendly operation with simple controls
- Multiple function combinations: Griddle (Manual control), Charbroiler, & Hot plate on top with a Static oven(s), on the bottom
- 30,000 BTU per Top burner
- 35,000 BTU per Charbroiler at 12"
- 30,000 BTU per Manual Griddle at 12"
- 33,000 BTU per Static oven
- Oven thermostat adjusts from 200°F to 500°F (93°C to 232°C)
- Stainless steel front and back riser and lift-off high shelf
- Oven interior side guides & bottom porcelain-coated
- Shipped standard, Natural gas or LP conversion kit included.
- Optional casters available
- Gas pressure regulator is supplied with the unit
- Gas hose kit available for purchase: **SIF-HG-4D-48SEL**

WARRANTY:
LIMITED ONE YEAR PARTS
AND LABOUR
SPECIFICATIONS SUBJECT TO
CHANGE WITHOUT
NOTICE.

FIND
ADDITIONAL
BENEFITS
HERE



ADDITIONAL IMAGES



MODEL DESIGNATIONS

ADDITIONAL RESOURCES



TECHNICAL

| Code | Gas Type | # of Ovens | # of Oven Racks | Oven BTU | TEMP RANGE °C | TEMP RANGE °F | TOTAL UNIT BTU | Operating Gas Pressure |
|-----------------|----------|------------|-----------------|----------|---------------|----------------|----------------|------------------------|
| HRG24-4B-N | NG | 1 | 1 | 30000 | 93°C to 260°C | 200°F to 500°F | 153000 | 5.0" W.C |
| HRG24-4B-P | LP | 1 | 1 | 28000 | 93°C to 260°C | 200°F to 500°F | 136000 | 10.0" W.C |
| HRG24-24GM-N | NG | 1 | 1 | 30000 | 93°C to 260°C | 200°F to 500°F | 93000 | 5.0" W.C |
| HRG24-24GM-P | LP | 1 | 1 | 28000 | 93°C to 260°C | 200°F to 500°F | 82000 | 10.0" W.C |
| HRG24-12CH-2B-N | NG | 1 | 1 | 30000 | 93°C to 260°C | 200°F to 500°F | 128000 | 5.0" W.C |
| HRG24-12CH-2B-P | LP | 1 | 1 | 28000 | 93°C to 260°C | 200°F to 500°F | 117000 | 10.0" W.C |
| HRG24-24CH-N | NG | 1 | 1 | 30000 | 93°C to 260°C | 200°F to 500°F | 103000 | 5.0" W.C |
| HRG24-24CH-P | LP | 1 | 1 | 28000 | 93°C to 260°C | 200°F to 500°F | 98000 | 10.0" W.C |
| HRG24-12GM-2B-N | NG | 1 | 1 | 30000 | 93°C to 260°C | 200°F to 500°F | 123000 | 5.0" W.C |
| HRG24-12GM-2B-P | LP | 1 | 1 | 28000 | 93°C to 260°C | 200°F to 500°F | 112000 | 10.0" W.C |


| Code | # of Burners | Burner BTU per 12" | Total Burner BTU | Charboiler Width | Charboiler BTU per 12" | Total Charboiler BTU | Griddle Width | Griddle BTU per 12" | Total Griddle BTU |
|-----------------|--------------|--------------------|------------------|------------------|------------------------|----------------------|---------------|---------------------|-------------------|
| HRG24-4B-N | 4 | 30000 | 120000 | - | - | - | - | - | - |
| HRG24-4B-P | 4 | 30000 | 120000 | - | - | - | - | - | - |
| HRG24-24GM-N | 0 | - | - | - | - | - | 24" | 30000 | 60000 |
| HRG24-24GM-P | 0 | - | - | - | - | - | 24" | 30000 | 60000 |
| HRG24-24GM-N | 0 | - | - | - | - | - | 24" | 30000 | 60000 |
| HRG24-24GM-P | 0 | - | - | - | - | - | 24" | 30000 | 60000 |
| HRG24-12CH-2B-N | 2 | 30000 | 60000 | 12" | 35000 | 35000 | - | - | - |
| HRG24-12CH-2B-P | 2 | 30000 | 60000 | 12" | 35000 | 35000 | - | - | - |
| HRG24-12CH-2B-N | 2 | 30000 | 60000 | 12" | 35000 | 35000 | - | - | - |
| HRG24-12CH-2B-P | 2 | 30000 | 60000 | 12" | 35000 | 35000 | - | - | - |



DIMENSIONS

| Code | Dimensions | Width | | Depth | | Height | | Weight | |
|-----------------|-------------|--------|-------|--------|-------|--------|---------|--------|-------|
| | | Inches | mm | Inches | mm | Inches | mm | Lbs | KG |
| HRG24-4B-N | Exterior | 24.0 | 610.0 | 31.4 | 800.0 | 60.2 | 1,520.0 | 268.4 | 122.0 |
| HRG24-4B-P | Shipping | 27.6 | 610.0 | 36.2 | 920.0 | 43.7 | 1,110.0 | 354.2 | 161.0 |
| | Oven Cavity | 20.0 | 508.0 | 22.5 | 572.0 | 13.3 | 338.0 | | |
| HRG24-24GM-N | Exterior | 24.0 | 610.0 | 31.4 | 800.0 | 60.2 | 1,520.0 | 341.0 | 155.0 |
| HRG24-24GM-P | Shipping | 27.6 | 700.0 | 36.2 | 920.0 | 46.9 | 1,190.0 | 426.8 | 194.0 |
| | Oven Cavity | 20.0 | 508.0 | 22.5 | 572.0 | 13.3 | 338.0 | | |
| HRG24-12CH-2B-N | Exterior | 24.0 | 610.0 | 31.4 | 800.0 | 60.2 | 1,520.0 | 288.2 | 131.0 |
| HRG24-12CH-2B-P | Shipping | 27.6 | 700.0 | 36.2 | 920.0 | 46.9 | 1,190.0 | 376.2 | 171.0 |
| | Oven Cavity | 20.0 | 508.0 | 22.5 | 572.0 | 13.3 | 338.0 | | |
| HRG24-24CH-N | Exterior | 24.0 | 610.0 | 31.4 | 800.0 | 60.2 | 1,520.0 | 308.0 | 140.0 |
| HRG24-24CH-P | Shipping | 27.6 | 700.0 | 36.2 | 920.0 | 46.9 | 1,190.0 | 393.8 | 179.0 |
| | Oven Cavity | 20.0 | 508.0 | 22.5 | 572.0 | 13.3 | 338.0 | | |
| HRG24-12GM-2B-N | Exterior | 24.0 | 610.0 | 31.4 | 800.0 | 60.2 | 1,520.0 | 305.8 | 139.0 |
| HRG24-12GM-2B-P | Shipping | 27.6 | 700.0 | 36.2 | 920.0 | 46.9 | 1,190.0 | 396.0 | 180.0 |
| | Oven Cavity | 20.0 | 508.0 | 22.5 | 572.0 | 13.3 | 338.0 | | |

LINE DRAWINGS



EFI Sales Ltd.
Toronto Office & DC
515 Hanlon Creek Blvd.
Guelph, ON, N1C 0A1

EFI Sales Ltd.
Vancouver Office & DC
26895 Gloucester Way
Langley, BC, V4W 3Y3

(888) 565-9920 Toll Free
(519) 822-1895 Toronto
(604) 607-8850 Vancouver