



# HRG36 SERIES

36" GAS RANGES



**HRG36-24GM-2B**

**HRG36-6B | HRG36-24CH-2B**  
**HRG36-24GM-2B | HRG36-36GM**  
**HRG36-36CH | HRG36-36GT**  
**36" RANGE W/ 2 OR 6 BURNERS,**  
**24" CHARBOILER AND/OR**  
**24" OR 36" MANUAL OR THERMO GRIDDLE**  
**AVAILABLE IN NATURAL GAS OR PROPANE**


- Sturdy construction for demanding commercial cooking applications
- User-friendly operation with simple controls
- Multiple function combinations: Griddle (Manual/Thermostat control), Charbroiler, & Hot plate on top with a Static oven(s), on the bottom
- 30,000 BTU per Top burner
- 35,000 BTU per Charbroiler at 12"
- 30,000 BTU per Manual or Thermostat Griddle at 12"
- 33,000 BTU per Static oven
- Oven thermostat adjusts from 200°F to 500°F (93°C to 232°C)
- Stainless steel front and back riser and lift-off high shelf
- Oven interior side guides & bottom porcelain-coated
- Shipped standard, Natural gas or LP conversion kit included.
- Optional casters available
- Gas pressure regulator is supplied with the unit
- Gas hose kit available for purchase: **SIF-HG-4D-48SEL**

**WARRANTY:**  
**LIMITED ONE YEAR PARTS**  
**AND LABOUR**  
**SPECIFICATIONS SUBJECT TO**  
**CHANGE WITHOUT**  
**NOTICE.**

FIND  
 ADDITIONAL  
 BENEFITS  
 HERE



**ADDITIONAL IMAGES**



**MODEL DESIGNATIONS**

**ADDITIONAL RESOURCES**



DIMENSIONS

Code	Dimensions	Width		Depth		Height		Weight	
		Inches	mm	Inches	mm	Inches	mm	Lbs	KG
HRG36-6B-N	Exterior	36.0	910.0	31.4	800.0	60.0	1,520.0	363.0	165.0
HRG36-6B-P	Shipping	39.4	910.0	36.6	930.0	43.7	1,110.0	466.4	212.0
	Oven Cavity	26.0	660.4	22.5	571.5	13.3	337.8		
HRG36-24CH-2B-N	Exterior	36.0	910.0	31.4	800.0	60.0	1,520.0	371.8	169.0
HRG36-24CH-2B-P	Shipping	39.4	1,000.0	36.6	930.0	46.9	1,190.0	484.0	220.0
	Oven Cavity	26.0	660.4	22.5	571.5	13.3	337.8		
HRG36-24GM-2B-N	Exterior	36.0	910.0	31.4	800.0	60.0	1,520.0	415.8	189.0
HRG36-24GM-2B-P	Shipping	39.4	1,000.0	36.6	930.0	46.9	1,190.0	525.8	239.0
	Oven Cavity	26.0	660.4	22.5	571.5	13.3	337.8		
HRG36-36GM-N	Exterior	36.0	910.0	31.4	800.0	60.0	1,520.0	442.2	201.0
HRG36-36GM-P	Shipping	39.4	1,000.0	36.6	930.0	46.9	1,190.0	550.0	250.0
	Oven Cavity	26.0	660.4	22.5	571.5	13.3	337.8		
HRG36-36CH-N	Exterior	36.0	910.0	31.4	800.0	60.0	1,520.0	378.4	172.0
HRG36-36CH-P	Shipping	39.4	1,000.0	36.6	930.0	46.9	1,190.0	488.4	222.0
	Oven Cavity	26.0	660.4	22.5	571.5	13.3	337.8		
HRG36-36GT-N	Exterior	36.0	910.0	31.4	800.0	60.0	1,520.0	442.2	201.0
HRG36-36GT-P	Shipping	39.4	1,000.0	36.6	930.0	46.9	1,190.0	550.0	250.0
	Oven Cavity	26.0	660.4	22.5	571.5	13.3	337.8		

SAMPLE LINE DRAWING ON PAGE 3



PRODUCT  
DRAWINGS




TECHNICAL

Code	Gas Type	# of Ovens	# of Oven Racks	Oven BTU	TEMP RANGE °C	TEMP RANGE °F	TOTAL UNIT BTU	Operating Gas Pressure
HRG36-6B-N	NG	1	1	30000	93°C to 260°C	200°F to 500°F	213000	5.0" W.C
HRG36-6B-P	LP	1	1	28000	93°C to 260°C	200°F to 500°F	190000	10.0" W.C
HRG36-24CH-2B-N	NG	1	1	30000	93°C to 260°C	200°F to 500°F	163000	5.0" W.C
HRG36-24CH-2B-P	LP	1	1	28000	93°C to 260°C	200°F to 500°F	152000	10.0" W.C
HRG36-24GM-2B-N	NG	1	1	30000	93°C to 260°C	200°F to 500°F	153000	5.0" W.C
HRG36-24GM-2B-P	LP	1	1	28000	93°C to 260°C	200°F to 500°F	136000	10.0" W.C
HRG36-36GM-N	NG	1	1	30000	93°C to 260°C	200°F to 500°F	123000	5.0" W.C
HRG36-36GM-P	LP	1	1	28000	93°C to 260°C	200°F to 500°F	109000	10.0" W.C
HRG36-36CH-N	NG	1	1	30000	93°C to 260°C	200°F to 500°F	138000	5.0" W.C
HRG36-36CH-P	LP	1	1	28000	93°C to 260°C	200°F to 500°F	133000	10.0" W.C

Code	# of Burners	Burner BTU per 12"	Total Burner BTU	Charbroiler Width	Charbroiler BTU per 12"	Total Charbroiler BTU	Griddle Width	Griddle BTU per 12"	Total Griddle BTU
HRG36-6B-N	6	30000	180000	-	-	-	-	-	-
HRG36-6B-P	6	30000	180000	-	-	-	-	-	-
HRG36-24CH-2B-N	2	30000	60000	24"	35000	70000	-	-	-
HRG36-24CH-2B-P	2	30000	60000	24"	35000	70000	-	-	-
HRG36-24GM-2B-N	2	30000	60000	-	-	-	24"	30000	60000
HRG36-24GM-2B-P	2	30000	60000	-	-	-	24"	30000	60000
HRG36-36GM-N	0	-	-	-	-	-	36"	30000	90000
HRG36-36GM-P	0	-	-	-	-	-	36"	30000	90000
HRG36-36CH-N	0	-	-	36"	35000	105000	-	-	-
HRG36-36CH-P	0	-	-	36"	35000	105000	-	-	-

LINE DRAWINGS



EFI Sales Ltd.  
Toronto Office & DC  
515 Hanlon Creek Blvd.  
Guelph, ON, N1C 0A1

EFI Sales Ltd.  
Vancouver Office & DC  
26895 Gloucester Way  
Langley, BC, V4W 3Y3

(888) 565-9920 Toll Free  
(519) 822-1895 Toronto  
(604) 607-8850 Vancouver

