



**VERSA
HEAT**

HRG48 SERIES 48" GAS RANGES



HRG48-24GM-4B-N

HRG48-24CH-4B

HRG48-24GM-4B

HRG48-24GT-4B | HRG48-8B

48" RANGE W/ 4 OR 8 BURNERS,

24" CHARBOILER OR

24" MANUAL OR THERMO GRIDDLE

AVAILABLE IN NATURAL GAS OR PROPANE


- Sturdy construction for demanding commercial cooking applications
- User-friendly operation with simple controls
- Multiple function combinations: Griddle (Manual/Thermostat control), Charbroiler, & Hot plate on top with a Static oven(s), on the bottom
- 30,000 BTU per Top burner
- 35,000 BTU per Charbroiler at 12"
- 30,000 BTU per Manual or Thermostat Griddle at 12"
- 33,000 BTU per Static oven
- Oven thermostat adjusts from 200°F to 500°F (93°C to 232°C)
- S/S front & back riser and lift-off high shelf
- Oven interior side guides & bottom porcelain-coated
- Shipped standard, Natural gas or LP conversion kit included.
- Optional casters available
- Gas pressure regulator is supplied with the unit
- Gas hose kit available: **SIF-HG-4D-48SEL**
- Casters sets available: **CA-CAST-RANGE**

WARRANTY:
LIMITED ONE YEAR PARTS
AND LABOUR
SPECIFICATIONS SUBJECT TO
CHANGE WITHOUT
NOTICE.

FIND
ADDITIONAL
BENEFITS
HERE




ADDITIONAL IMAGES



MODEL DESIGNATIONS



ADDITIONAL RESOURCES



TECHNICAL

Code	Gas Type	# of Ovens	Racks per Oven	Oven BTU	TEMP RANGE °C	TEMP RANGE °F	TOTAL UNIT BTU	Opertating Gas Pressure
HRG48-24CH-4B-N	NG	2	1	30000	93°C to 260°C	200°F to 500°F	246000	5.0" W.C
HRG48-24CH-4B-P	LP	2	1	28000	93°C to 260°C	200°F to 500°F	234000	10.0" W.C
HRG48-24GM-4B-N	NG	2	1	30000	93°C to 260°C	200°F to 500°F	246000	5.0" W.C
HRG48-24GM-4B-P	LP	2	1	28000	93°C to 260°C	200°F to 500°F	218000	10.0" W.C
HRG48-24GT-4B-N	NG	2	1	30000	93°C to 260°C	200°F to 500°F	246000	5.0" W.C
HRG48-24GT-4B-P	LP	2	1	28000	93°C to 260°C	200°F to 500°F	218000	10.0" W.C
HRG48-8B-N	NG	2	1	30000	93°C to 260°C	200°F to 500°F	306000	5.0" W.C
HRG48-8B-P	LP	2	1	28000	93°C to 260°C	200°F to 500°F	272000	10.0" W.C

Code	# of Burners	Burner BTU per 12"	Total Burner BTU	Charboiler Width	Charboiler BTU per 12"	Total Charboiler BTU	Griddle Width	Griddle BTU per 12"	Total Griddle BTU
HRG48-24CH-4B-N	4	30000	120000	24"	35000	70000	-	-	-
HRG48-24CH-4B-P	4	30000	120000	24"	35000	70000	-	-	-
HRG48-24GM-4B-N	4	30000	120000	-	-	-	24"	30000	60000
HRG48-24GM-4B-P	4	30000	120000	-	-	-	24"	30000	60000
HRG48-24GT-4B-N	4	30000	120000	-	-	-	24"	30000	60000
HRG48-24GT-4B-P	4	30000	120000	-	-	-	24"	30000	60000
HRG48-8B-N	8	30000	240000	-	-	-	-	-	-
HRG48-8B-P	8	30000	240000	-	-	-	-	-	-



